KYOCERA

kyoceradocumentsolutions.ca

EvolutionNext

TASKalfa MZ7001ci Series & MZ7001i Series

+ **A3 colour copy, print, scan, and optional fax in 1 device**
+ **Cloud connectivity out of the box**
+ **Up to 70 ppm and up to 274 ipm**
+ **True 1200 x 1200 dpi with advanced finishing**

The TASKalfa MZ7001ci Series is our follow up to the Evolution Series - EvolutionNext. This product series includes 6 Colour multifunction printers and 4 Black and White multifunction printers from 25 to 70 ppm. This series offers built-in cloud connectivity, industry-leading reliability, and AI capabilities in a sustainable design.

Cloud ready for complete control

Pre-installed cloud applications simplify document capture, release, and management, saving time and resources.

Taking productivity further

AI-powered features eliminate errors while industry-leading dual scan processors streamline high-volume scanning.

Award-winning reliability

Durable components last up to three times longer than competing models. BLI named Kyocera the 2024-2026 Most Colour Consistent A3 Brand and the 2025-2027 Most Reliable A3 Brand.

Security by design

FIPS 140-3 compliance and advanced authentication provide the highest level of security.

Cost-efficient sustainability

Our toner lock technology reduces the need for service calls and minimizes waste.



Colour or B&W	**Brand/Family TASKalfa**	**Product Type M** = MFP	**Product Format Z** = A3	**Print Speed** 25-70ppm	**Version**	**Functionalities/ Identifier** (c) Colour (i) HyPAS enabled
Colour	TASKalfa	M	Z	25/35/40/50/60/70	01	ci
B&W	TASKalfa	M	Z	40/50/60/70	01	i

Product Configuration: TASKalfa MZ7001ci Series at a Glance



* Only compatible with 25 & 35ppm devices
** Only compatible with 40-70ppm devices
*** Only compatible with 60 & 70ppm devices

Internal Punch Unit
+ PH-7100 — 2 and 3 hole punch capabilities for paper sizes between 5.5″ x 8.5″ — 12″ x 18″

External Punch Unit
+ PH-7A — 2 and 3 hole punch capabilities for paper sizes between 5.5″ x 8.5″ — 12″ x 18″

Device Accessories
+ DT-730B hard copy holder
+ Banner Guide 10 for easier banner paper feeding
+ Keyboard Holder 10 for optional keyboard

Memory Accessories
+ HD-16 large capacity HDD (1TB)

Connectivity Accessories
+ FAX system 12 for fax capabilities
+ Internet FAX Kit (A) for internet fax capabilities
+ UG-33/34 for optimal printer emulation

Software Accessories
+ Card Authentication Kit (B) for more secure printing
+ Scan Extension Kit (A), an extended option for OCR scanning

Fiery Print Controller
+ Fiery® Printing System 17
+ Interface Kit 15 (B)

Configure your TASKalfa device!

For more details on how to configure your device to match the needs of your office, navigate to our product configurator. The tool aims to pair you to the device configuration* that fits your specific business needs.



Integration with Kyocera solutions

Features		KCC	KCIM	KCPS	DMConnect	PinPoint Scan
Document Capture	Capture, classify, process and route documents to on-prem/cloud storage, DMS, ECM, and ECM	●			●	●
Connect to Cloud Storage	Not only send scanned documents but process them before sending to cloud storage	●		●		
Document Management	A DMS includes features such as version control, document indexing, search, and secure access control to enhance security and productivity.		●			
Print Management	Streamline and optimize printing activities by managing print jobs, controlling costs, tracking output, and enhancing security.			●		

Kyocera Cloud Capture (KCC)

Kyocera Cloud Print and Scan (KCPS)

Kyocera Cloud Information Manager (KCIM)

DMConnect

PinPoint Scan

*Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

TASKalfa MZ7001ci Series & MZ7001i Series Specifications

MAIN UNIT

Type: B&W Laser MFP (40-70ppm); Colour Laser MFP (25-70ppm)
Functions: Standard: Print, Copy, Scan; Optional: Fax
Control Panel: 10.1" Colour Touch Screen
Memory: 4 GB RAM
Solid State Drive/Hard Disk Drive: Standard: 256 GB SSD; Optional: 1 TB HDD
Interface Connection: Network: 1000Base-T/100Base-Tx/10BASE-T (IPv6, IPv4, IPSec), IEEE 802.3az; Other Standard: USB 2.0 (Hi-Speed USB), USB 3.0 (Super-Speed USB)
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Sources: Standard: (2) 500 Sheet Paper Trays & (1) 150 Sheet Multi-Purpose Tray; Optional: (2) 500 Sheet Paper Trays, (1) Dual 1,500 Sheet Paper Trays, Cabinet Stand, and 3,000 Sheet Large Capacity Side Tray
Finishing Capabilities: Internal Options: Stack, Staple, 2 and 3 Hole Punch, Job Separator, Inner Shift Tray
External Options: 1,000 Sheets (50-Sheet Staple), 4,000 Sheets (65-Sheet Staple & 100-Sheet Staple), 2 and 3 Hole Punch, Booklet and Tri-Fold Units, 7-Bin Mailbox, Z-Fold Unit, Inserter Unit

NOTE: 4,000 Sheet External Finisher (100-Sheet Staple) only available on 40-70ppm MFPs, Z-Fold Unit and Inserter Unit only available on 60-70ppm MFPs

Supported Media Types:
Cassette: Plain, Vellum, Recycle, Preprint, Bond, Hagaki, Colour, Punched, Letterhead, Thick, Envelope, High Quality, Custom
Multi-Purpose Tray: Plain, Transparency (OHP film), Vellum, Labels, Recycle, Preprint, Bond, Hagaki, Colour, Punched, Letterhead, Thick, Envelope, Coated, High Quality, Index Tab Dividers, Custom
Supported Media Sizes:
Cassette 1: 5.5" x 8.5" – 8.5" x 14" (statement to legal) Cassette 2: 5.5" x 8.5" – 12" x 18", Custom Size
Multi-Purpose Tray: 5.5" x 8.5" – 12" x 18" (multiple); to 12" x 48" Banner (single)
Paper Weight: Cassette 1, Cassette 2, and Multi-Purpose Tray: 14 lb. Bond – 166 lb. Index (52 – 300gsm)

Print Speed (B&W and Colour):
MZ2501ci: Up to 25ppm Letter, 15ppm Legal, and 12ppm Ledger
MZ3501ci: Up to 35ppm Letter, 21ppm Legal, and 17ppm Ledger
MZ4001ci: Up to 40ppm Letter, 24ppm Legal, and 20ppm Ledger
MZ5001ci: Up to 50ppm Letter, 30ppm Legal, and 25ppm Ledger
MZ6001ci: Up to 60ppm Letter, 36ppm Legal, and 30ppm Ledger
MZ7001ci: Up to 70ppm Letter, 42ppm Legal, and 35ppm Ledger
Print Speed (B&W)
MZ4001i: Up to 40ppm Letter, 24ppm Legal, and 20ppm Ledger
MZ5001i: Up to 50ppm Letter, 30ppm Legal, and 25ppm Ledger
MZ6001i: Up to 60ppm Letter, 36ppm Legal, and 30ppm Ledger
MZ7001i: Up to 70ppm Letter, 42ppm Legal, and 35ppm Ledger
Warm Up Time:
MZ2501ci & MZ3501ci: 9.7 sec or less
MZ4001i, MZ5001i, MZ6001i, & MZ7001i: 14.4 sec or less
MZ4001ci, MZ5001ci, MZ6001ci: 1 4.4 sec or less
MZ7001ci: 25 sec or less
Dimensions (W x D x H): Approximately 23.7" × 26.1" × 31.1" (602mm × 663mm × 790mm) for all models
Weight:
MZ4001i, MZ5001i, MZ6001i, & MZ7001i: Approximately 182 lbs. (83 kg)
MZ2501ci & MZ3501ci: Approximately 198.4 lbs. (90 kg)
MZ4001ci, MZ5001ci, MZ6001ci, MZ7001ci: Approximately 209.4 lbs. (95 kg)

PRINT SPECIFICATIONS

Print Resolution: True: 1200 dpi x 1200 dpi; Enhanced: Up to 4800 dpi x 1200 dpi
PDLs/Emulations: PCL6 (PCL XL/PCL 5c) for TASKalfa MZ2501ci, 3501ci, 4001ci, 5001ci, 6001ci, & 7001ci; PCL6 (PCL XL/PCL 5e) for TASKalfa MZ4001i, 5001i, 6001i, & 7001i; PRESCRIBE, KPDL3 (PostScript3 compatible) AES Support, PDF, XPS/OpenXPS, PPML, Microsoft WPP and Universal Print
Mobile Devices & Cloud Ready Printing: Apple AirPrint®, Mopria®, Kyocera Cloud Print and Scan (KCPS), KYOCERA Mobile Print, & KYOCERA MyPanel
Fonts: 93 Fonts (PCL6), 136 Fonts (KPDL3), 4 Fonts (Calibri), 4 Fonts (Cambria), 1 Font Bitmap font, 79 Outline fonts
Operating Systems: Windows: 10/11; Server 2016/Server 2019/Server 2022/Server 2025; Mac OS X v10.0 or later; Chrome OS

COPY SPECIFICATIONS

First Copy Out Time:
MZ2501ci: 6.4 seconds or less (B&W), 8.5 seconds or less (Colour)
MZ3501ci: 5.3 seconds or less (B&W), 7.0 seconds or less (Colour)
MZ4001ci: 4.5 seconds or less (B&W), 5.9 seconds or less (Colour)
MZ5001ci: 3.7 seconds or less (B&W), 4.8 seconds or less (Colour)
MZ6001ci & MZ7001ci: 3.4 seconds or less (B&W), 4.4 seconds or less (Colour)
MZ4001i: 4.5 seconds or less
MZ5001i: 3.7 seconds or less
MZ6001i & MZ7001i: 3.4 seconds or less
Copy Resolution: 600 dpi x 600 dpi
Continuous Copy: Up to 9,999 Sheets
Magnification (Manual Mode): 25% to 400%, 1% increments
Auto Mode Enlargements: 25%, 50%, 70%, 81%, 86%, 100%, 115%, 122%, 141%, 200%, 400%

TASKalfa MZ7001ci Series & MZ7001i Series Specifications

SCAN SPECIFICATIONS

Types:
(2) Reverse Automatic Document Processors - DP-7140 & DP-7150
(2) Dual Scan Document Processors - DP-7160 & DP-7170
Document Processor Paper Capacity: DP-7140: 50 Sheets; DP-7150: 140 Sheets; DP-7160 & DP-7170: 320 Sheets
Document Processor Supported Media Sizes:
DP-7140: Min: A5-R/Statement-R 5.5" x 8.5" (140 × 182mm), Max: A3/Ledger 11"x 17" (297 × 432mm), Banner: (297 × 1,600mm)
DP-7150: Min: A6-R/Statement-R 5.5" x 8.5" (105 × 148mm), Max: A3/Ledger 11" x 17" (297 × 432mm), Banner: (297 × 1,600mm)
DP-7160 & DP-7170: Min: A6-R/Statement-R 5.5" x 8.5" (105 × 148mm), Max: A3/Ledger 11" x 17" (297 × 432mm), Banner: (297 × 1,600mm)
Document Processor Supported Media Weights:
DP-7140 & DP-7150: Simplex: 13 lb. Bond – 90 lb. Index (35 to 160 gsm), Duplex: 16 lb. – 32 lb. Bond (50 to 120 gsm)
DP-7160 & DP-7170: Simplex: 13 lb. Bond – 120 lb. Index (35 to 220 gsm), Duplex: 16 lb. – 120 lb. Index (50 to 220 gsm)
Document Processor Speed:
DP-7140: Simplex: 50 ipm; Duplex: 16 ipm (B&W/Colour)
DP-7150: Simplex: 80 ipm; Duplex: 48 ipm (B&W/Colour)
DP-7160 & DP-7170: Simplex: 137 ipm; Duplex: 274 ipm (B&W/Colour)
Cloud Ready Services: Kyocera Cloud Capture (KCC), Kyocera Cloud Information Manager (KCIM), Kyocera Cloud Print and Scan (KCPS)
Resolution: Platen Glass: 600 dpi x 600 dpi, Document Processor: 600 dpi x 600 dpi / 600 dpi x 300 dpi
File Format: TIFF, JPEG, XPS, OpenXPS, PDF, Searchable PDF, MS Office File

OPTIONAL FAX SPECIFICATIONS

Modem Speed: G3: 33.6kbps
Compression Method: MMR,MR,MH,JBIG
Resolution: 600 dpi x 600dpi, 400 dpi x 400 dpi, 200 dpi x 400 dpi, 200 dpi x 200 dpi, 200 dpi x 100 dpi
Sending/Recording Size:
Statement-R to 11" x 17"
Number of Transmission Lines: 1 standard line, up to 2 lines
Transmission Time: < 3 seconds when using JBIG
Fax Server Transmission Method: SMTP/POP3 Via Server/SMTP Direct Communication (DirectSMTP)
Driver: Network Fax Driver
Memory Backup: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feed Tray, Fax Forwarding to email or file

SECURITY SPECIFICATIONS

Guarded Access: LDAP, IP Filtering, Secure Print Release, SMTP Authentication, Create Encrypted PDF, Failed Authentication Lockout, Card Authentication
Protected Data Storage: SSD/HDD Overwrite, AES 256 Data Storage Encryption, Trusted Platform Module, IEC-15408, Common Criteria, IEEE 2600 Certified, HCD-PP Certified
Secure Communication: TLS v1.3, SMB 3.1.1, HTTPS, ECDSA, FIPS 140-3 Encryption, S/MIME, IPSec with HCD-PP, IPPS Printing (Over TLS), SCEP Certificated Enrollment, OCSP/CRL Certificates, 802.1X Ethernet Certificates, SHA 2 384
Advanced Management: 3 Preset Security Level Configurations, Remote Management of Fleet, SNMP v3 Monitoring, SIEM/Syslog Monitoring, Secure Boot Check, Run Time Integrity Checks, Allow List

ENVIRONMENTAL SPECIFICATIONS

Operating Environment: Temperature: 50 F - 90.5 F (10 - 32.5°C); Humidity: 10 - 80% RH (Relative Humidity)
Power Requirements: MZ7001ci: 120V, 60Hz, 16A, 2400W; 220-240V, 50/60Hz, 10A, 2400 W
Power Consumption: All other models: 120V, 60Hz, 12A, 1650W; 220-240V, 50/60Hz, 7.2A, 1750W
Sleep Mode: Colour MFPs: 0.5W, B&W MFPs: 0.4W
Typical Electricity Consumption (TEC) Rating:
MZ2501ci: 0.29 kWH (120V); 0.30 kWH (220-240V)
MZ3501ci: 0.46 kWH (120V); 0.43 kWH (220-240V)
MZ4001ci: 0.52 kWH (120V); 0.50 kWH (220-240V)
MZ5001ci: 0.66 kWH (120V); 0.63 kWH (220-240V)
MZ6001ci: 0.83 kWH (120V); 0.79 kWH (220-240V)
MZ7001ci: 1.05 kWH (120V); 1.01 kWH (220-240V)
MZ4001i: 0.49 kWH (120V); 0.47 kWH (220-240V)
MZ5001i: 0.63kWH (120V); 0.60 kWH (220-240V)
MZ6001i: 0.80 kWH (120V); 0.77 kWH (220-240V)
MZ7001i: 0.98 kWH (120V); 0.93 kWH (220-240V)
Standards: Energy Star and EPEAT

CONSUMABLES

Toner:
MZ2501ci & MZ3501ci: TK-8467C/M/Y/K
MZ4001ci, MZ5001ci, MZ6001ci, MZ7001ci: TK-8597C/M/Y/K
MZ4001i, MZ5001i, MZ6001i, MZ7001i: TK-6357K
Toner Yield (Estimated at 5% Coverage):
TK-8467C/M/Y/K: 20,000 Pages; TK-8467K: 30,000 Pages
TK-8597C/M/Y/K: 24,000 Pages; TK-8597K: 40,000 Pages
TK-6357K: 40,000 Pages

Specifications and design are subject to change without notice. For the latest on connectivity visit kyoceradocumentsolutions.ca. ECOSYS, PRESCRIBE, Kyocera Net Manager, Kyocera Net Viewer, Kyocera Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

Kyocera Document Solutions Partner

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Document Solutions Canada
6120 Kestrel Road, Mississauga, ON L5T 1S8
Tel: 905-696-4425

kyoceradocumentsolutions.ca

Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press.
All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.
©2025 KYOCERA Document Solutions Canada, Ltd.